

Class 1

Apex Tile Over Showers

Product Disclosure Information

Self-Assessment

Version: V1001

| | |
|--------------------|------------------------|
| Product name | Apex Tile Over Showers |
| Product line | |
| Product identifier | Crest Apex Showers |

Product Description

The Apex Shower is a one-piece ready-to-tile shower base and screens system. Suitable for domestic and commercial use, the Apex System includes a preformed Aquamox XPS base with 60mm hob, glazing channels, EasyClean waste or Stainless Steel channel waste, selected screens and hardware. The standard hardware finish is chrome, although available in black, brushed brass, gun metal and brushed nickel. Available as a hinged or sliding Alcove or Corner. Sizes range from 900mm to 1600mm, with the glass being 1960mm high.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1, F2.3.3

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Contributions to compliance

B2.3.1: The Apex shower is warranted for 15 years when installed as per the installation instructions.

F2.3.1: All glass supplied is toughened safety glass, complying with NZS 4223.3. The product is safe to handle.

G1.3.2: Easy-to-clean and does not harbour germs.

G12.3.5: Shower requires hot water for personal washing, showering, or bathing.

Scope of use

The Apex Showers are suitable for use in domestic and commercial bathrooms. Available as a corner or alcove with hinged and sliding door openings. To be installed on top of existing flooring (Timber or Concrete).

Conditions of use

This shower must be installed in accordance with the installation instructions supplied with the product and available at <https://crestshowers.co.nz/resources>.

The waste fitting must be installed by a registered plumber as outlined in the installation instructions supplied.

Supporting documentation

The following additional documentation supports the above statements:

| Title (type) | Version | URL |
|---|--------------|---|
| Apex Installation instructions and warranty | Version 5001 | https://crestshowers.co.nz/resources |
| Crest Product Catalogue | 2023 | https://crestshowers.co.nz/resources |

Contact details

| | |
|---|--|
| Manufacture location | New Zealand |
| Legal and trading name of the manufacturer | Crest Group Limited |
| Manufacturer address for service | 5 Stonehill Drive Auckland 2104 |
| Manufacturer website | www.crestshowers.co.nz |
| Manufacturer email | sales@crestshowers.co.nz |
| Manufacturer phone number | 0800404042 |
| Manufacturer NZBN | 9429030266377 |

Warnings and bans

Is the building product/building product line subject to a warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Shower units

| | Yes | No |
|--|-----|----|
| Inclusion of glass or brittle material | x | |
| Suitable for accessible facilities | | x |
| Integrated taps/plumbing | | x |
| Shower flooring only | | x |

Building code performance clauses

All relevant building code performance clauses are listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if: the building elements (including services, linings, renewable protective coatings, and fixtures) are easy to access and replace, and failure of those building elements to comply with the building code would be easily detected during normal use of the building.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

F2.3.3

Glass or other brittle materials with which people are likely to come into contact shall:

- if broken on impact, break in a way which is unlikely to cause injury, or
- resist a reasonably foreseeable impact without breaking, or
- be protected from impact.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate *sanitation*,
- b. avoid the risk of food contamination,
- c. avoid harboring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.2

A potable *water supply system* must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.